

RESTRICTED USE PESTICIDE

Do to acute oral and inhalation toxicity.
For retail sale to and application only by certified applicators or personnel under their direct supervision.

**EPA SLN NO.
WA-910006**

**FOR DISTRIBUTION
AND USE ONLY IN
WASHINGTON**

Furadan® 4F

Insecticide - Nematicide

For Agricultural or Commercial Use Only
EPA Reg. No. 279-2876 ZA

EMERGENCY CALLS: 800-331-3148

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING**

CROP	PEST	RATE OF APPLICATION
Potatoes	Colorado Potato Beetle Flea Beetle Aphids Wireworms (Suppression only)	3 quarts per acre

DIRECTIONS FOR USE:

Use Furadan 4F at a rate of 3 quarts per acre (7.2 fluid ounces per 1,000 feet of row). Make application from at planting up to a four inch rosette.

For Planting Time Applications:

Band to the side or below the seed piece. Do not apply above the seed piece.

For Sprinkler Irrigated Fields:

Apply in sufficient carrier for thorough coverage. Apply as a 4 to 6 inch band over the plant row or shank in 4 inches deep on both sides of the plant. Irrigate as soon as possible after treatment.

For Furrow (Gravity) Irrigated Fields:

Shank in 4 to 6 inches to the water side of the row and approximately 4 inches deep. Irrigate as soon as possible after treatment.

Furadan 4F may be mixed with liquid fertilizers or water. If liquid fertilizer is used, check physical compatibility before mixing large quantities.

RESTRICTIONS:

- Do not make a foliar application of Furadan 4F on potatoes if Furadan has been applied at planting.
- Do not apply more than 2 pints per acre per season in areas having greater than 90% sand and less than 1% organic matter where the water table (groundwater) is shallow (less than thirty feet).
- Do not apply within 75 days of harvest.
- Furadan spray solution must have a pH of 7 or lower. The use of a buffering agent may be necessary.
- For use under this SLN label do not apply this product through any type of irrigation system.
- This product is toxic to fish, birds and other wildlife. Furadan 4F should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service or US Fish & Wildlife Service for information on listed threatened or endangered species. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

WSDA Container Disposal Guidance (Non-Returnable Plastic Containers):

Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the internet from WSU at <http://pep.wsu.edu/waste/wd.html> or from WSDA at <http://www.wa.gov/agr>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARD REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

THIS LABEL FOR FURADAN 4F EXPIRES AND MUST NOT BE DISTRIBUTED OR USED IN ACCORDANCE WITH THIS SLN REGISTRATION AFTER DECEMBER 31, 2007.

24c Registrant:
FMC Corporation
Agriculture Products Group
1735 Market Street
Philadelphia, PA 19103

Furadan4F_24c_potato_WA-910006



Furadan and **FMC** - FMC Trademarks